## ASSIST v4.1 Installation Guide for Mac, Linux, and Windows

**June 2018** 

#### (Feb 2020 - updated contact details)

ASSIST is a web-based application in which you record visual observations of sea ice. It can be run at sea without an internet connection on Windows, Mac or Linux computers. Please ensure you have Java, an appropriate web browser, and ASSIST installed on the computer you will use for data collection prior to leaving the ships's port. You will find an installation guide and information about the data format in the ASSIST download package.

Project Contact: Ole Jakob Hegelund / Alistair Everett – Norwegian Meteorological Institute

Project Email: <a href="mailto:icewatch@met.no">icewatch@met.no</a>

Icewatch General Project Website: <a href="https://cryo.met.no/en/icewatch">https://cryo.met.no/en/icewatch</a>

Icewatch Software Download: <a href="https://icewatch.met.no">https://icewatch.met.no</a>

Table of Contents
MAC PLATFORM, page 2
LINUX PLATFORM, page 4
WINDOWS PLATFORM, page 6

#### **MAC PLATFORM**

#### **Software & System Requirements**

- 64-bit Mac
  - o All Macs released after 2006 are 64-bit
- Mac OSX 10.7 (Lion) or later
- Modern web brower (Chrome, Firefox, Safari)
- Java 1.7 or newer

# Step 1. Check Java Installation, Java 7.1 or newer required

- If not installed already, install the Java Development Kit (JDK) <a href="http://www.oracle.com/technetwork/java/javase/downloads/index.html">http://www.oracle.com/technetwork/java/javase/downloads/index.html</a>.
- Click on Apple icon on upper left of screen.
- Go to System Preferences.
- Double click on the Java icon to access the Java Control Panel.
- Click on the General Tab, About to get the Java Version
- Click on the Java Tab, View to manage the Java Runtime versions

### Step 2. Download and Install ASSIST software

Go to: <a href="http://icewatch.met.no/pages/assist">http://icewatch.met.no/pages/assist</a>

- Download the ASSIST zip file (ASSIST\_v4.1.zip)
- Move zip file to a preferred location on your computer (hereafter referred to as \$ASSIST\_DIRECTORY)
- Unzip
- You may want to save a copy of the zip file in case you need to reinstall a clean version of ASSIST in future.

### **Step 3. Running ASSIST software**

- Open a terminal application
  - See NOTE at end of this document if you do not know how to open a terminal application
- Change directories into the ASSIST\_v4.1 installation directory
  - cd \$ASSIST\_DIRECTORY
- Confirm NO OTHER SESSION of the ASSIST software is running in a browser
  - Terminate any open browser windows and exit the application running in a terminal window with Ctrl^C
- Launch software (via a bash script)
  - ./launcher.macos.sh
- Answer short series of questions in terminal window

- "Enter name of cruise database (omit extension), or [Return] to use default database:"
  - example: Test\_Cruise
  - IMPORTANT: Cruise database names should NOT contain special characters such as spaces and slashes.
  - Note: Default database is production
- You will be asked if this is a new cruise or an existing cruise
  - If not, option to create Test\_Cruise
  - If existing, will ask you to confirm Test\_Cruise is the database you want to use
- With questions answered, the ASSIST software will ready itself to be opened in your browser. This process can take several minutes as the software engages the browser. Once you see "Server:main: Started" scroll across terminal window, you are ready to open the web browser
- Open web browser
  - Navigate to: <a href="http://localhost:8080">http://localhost:8080</a>
- When you are finished using ASSIST
  - Close the web browser tab
  - Ctrl^C in the terminal window running the ASSIST software

#### **NOTE: Opening a terminal window**

The terminal application can be found in *Applications* >*Utilities* >*Terminal*. Navigate to this in the finder and click on Terminal to launch a terminal.

#### LINUX PLATFORM

#### **Software & System Requirements**

- 64-bit Linux
- Modern web brower (Chrome, Firefox, Safari)
- Java 1.7 or newer

#### Step 1. Check if your Linux system is 64-bit

- In your terminal window, type:
  - o uname -m and hit enter.
  - If the response is i686, you have a 32-bit version of Linux. If the response is x86\_64, you have a 64-bit version of Linux.

# Step 2. Check Java Installation, Java 7.1 or newer required

- In your terminal window, type:
  - o which java or java -version
- If the java version is not Java 7.1 or newer, must install Java on your Linux distribution

#### Step 3. Download and Install ASSIST software

- Go to: <a href="http://icewatch.met.no/pages/assist">http://icewatch.met.no/pages/assist</a>
- Download the ASSIST zip file (ASSIST\_v4.1.zip)

- Move zip file to a preferred location on your computer (hereafter referred to as \$ASSIST\_DIRECTORY)
- Unzip
- You may want to save a copy of the zip file in case you need to reinstall a clean version of ASSIST in future.

### **Step 4. Running ASSIST software**

- Open a terminal window
- Change directories into the ASSIST\_v4.1 installation directory
  - cd \$ASSIST\_DIRECTORY
- Confirm NO OTHER SESSION of the ASSIST software is running in a browser
  - Terminate any open browser windows and exit the application running in a terminal window with Ctrl^C
- Launch software (via a bash script)
  - o ./launcher.linux.sh
- Answer short series of questions in terminal window
  - "Enter name of cruise database (omit extension), or [Return] to use default database:"
    - example: Test Cruise

- IMPORTANT: Cruise database names should NOT contain special characters such as spaces and slashes.
- Note: Default database is production
- You will be asked if this is a new cruise or an existing cruise
  - If not, option to create Test\_Cruise
  - If existing, will ask you to confirm Test\_Cruise is the database you want to use
- With questions answered, the ASSIST software will ready itself to be opened in your browser. This process can take several minutes as the software engages the browser. Once you see "Server:main: Started" scroll across terminal window, you are ready to open the web browser
- Open web browser
  - Navigate to: <a href="http://localhost:8080">http://localhost:8080</a>
- When you are finished using ASSIST
  - Close the web browser tab
  - Ctrl^C in the terminal window running the ASSIST software

#### WINDOWS PLATFORM

#### **Software & System Requirements**

- 64-bit Windows
- Browser: Explorer, Chrome, Firefox
  - NOTE: The Edge browser does not run Java
- Java 1.7 or newer

#### Step 1. Check if your Windows systems is 64-bit

- WINDOWS 10
  - Open Settings > Click/tap System icon > Click/ tap Check if your Linux system is 64-bit on the left hand side > Under Device Specifications you will find the System type listed as either 32 or 64-bit.

#### WINDOWS 8

 Open a search box – swipe from right edge of screen and type Search, or click on lower-right corner of screen and click Search > Click/tap System > Click/tap Settings > Click/tap System > you can view the System type under the System heading.

#### • WINDOWS 7, VISTA

Click Start > Right click Computer >
 Properties. Under System, you can view the System Type.

# Step 2. Check Java Installation, Java 7.1 or newer required

- Launch the Windows Start menu.
- Click on Programs (All Apps on *Windows 10*)
- Find the Java program listing.
- Click Configure Java to launch the Java Control Panel.
- Click on the General Tab, About to get the Java Version
- Click on the Java Tab, View to manage the Java Runtime versions

### Step 3. Download and Install ASSIST software

- Go to: <a href="http://icewatch.met.no/pages/assist">http://icewatch.met.no/pages/assist</a>
- Download the ASSIST zip file (ASSIST v4.1.zip)
- Move zip file to a preferred location on your computer (hereafter referred to as \$ASSIST\_DIRECTORY)
- Unzip
- You may want to save a copy of the zip file in case you need to reinstall a clean version of ASSIST in future.

## **Step 4. Running ASSIST software**

- From File Explorer
  - Double click launcher.windows.bat

- Answer short series of questions in terminal window
  - "Enter name of cruise database (omit extension), or [Return] to use default database:"
    - example: Test Cruise
    - IMPORTANT: Cruise database names should NOT contain special characters such as spaces and slashes.
    - Note: Default database is production
  - You will be asked if this is a new cruise or an existing cruise
    - If not, option to create Test\_Cruise
    - If existing, will ask you to confirm Test\_Cruise is the database you want to use
  - With questions answered, the ASSIST software will ready itself to be opened in your browser. This process can take several minutes as the software engages the browser. Once you see "Server:main: Started" scroll across batch window, you are ready to open the web browser
- Open web browser
  - Navigate to: <a href="http://localhost:8080">http://localhost:8080</a>
- When you are finished using ASSIST
  - Close the web browser tab

 $_{\circ}$  Click the X in upper right corner of batch window